




sikelan

3.Compressor Specification

Serial	Model	HP	V/Hz	Dispt (cm ³)	Cooling Capacity (ASHRAE)						Motor type	St
					Test Conditions:-23.3°C(-10F)							
					Capacity (W)	Capacity (Btu/h)	Input Power(W)	Current (A)	COP	EER		
L	QD25HG	1/12	220-240V/50-60Hz	2.5	55	188	52	0.55	1.05	3.61	RSIR	P1 Rc
	QD30HG	1/12		3.0	65	222	62	0.63	1.05	3.58	RSIR	
	QD35HG	1/11		3.5	75	256	71	0.68	1.05	3.60	RSIR	
	ADW43	1/6-		4.3	110	375	100	1.0	1.1	3.75	RSIR	
	ADW51	1/6		5.1	125	427	104	1.1	1.2	4.10	RSIR	
	ADW57	1/5-		5.7	135	461	112	1.15	1.2	4.11	RSIR	
MS	ADW43	1/6-		4.3	110	375	100	1.0	1.1	3.75	RSIR	P1 St
	ADW51	1/6		5.1	125	427	104	1.1	1.2	4.10	RSIR	
	ADW57	1/5-		5.7	135	461	112	1.15	1.2	4.11	RSIR	
	ADW66	1/4-		6.6	165	563	132	1.2	1.25	4.27	RSIR	
	ADW77	1/4		7.7	185	631	148	1.4	1.25	4.27	RSIR	
	ADW86	1/4+		8.6	200	682	160	1.45	1.25	4.27	RSIR	
LM	ADW91	1/3-		9.1	220	751	176	1.65	1.25	4.27	RSIR	P1 St
	ADW43	1/6-		4.3	110	375	100	1.0	1.1	3.75	RSIR	
	ADW51	1/6		5.1	125	427	104	1.1	1.2	4.10	RSIR	
	ADW57	1/5-	5.7	135	461	112	1.15	1.2	4.11	RSIR		
MK	ADW66	1/4-	6.6	165	563	132	1.2	1.25	4.27	RSIR	P1 St	
	ADW77	1/4	7.7	185	631	148	1.4	1.25	4.27	RSIR		
	ADW86	1/4+	8.6	200	682	160	1.45	1.25	4.27	RSIR		
	ADW91	1/3-	9.1	220	751	176	1.65	1.25	4.27	RSIR		
	ADW110	3/8	11.0	270	921	215	2.05	1.25	4.28	RSIR		
WQ	ADW91	1/3-	9.1	220	751	176	1.65	1.25	4.27	RSIR	P1 St	
	ADW110	3/8	11.0	270	921	215	2.05	1.25	4.28	RSIR		
	ADW128	3/8+	12.8	320	1092	256	2.3	1.25	4.27	CSIR		
	ADW142	1/2-	14.2	350	1194	280	2.6	1.25	4.27	CSIR		
	ADW153	1/2	15.3	380	1297	304	2.8	1.25	4.27	CSIR		

4. Compressor Packing and Container Loading



3.Compressor Specification

					Cooling Capacity (ASHRAE)	
--	--	--	--	--	---------------------------	--